Southern Illinois University Carbondale **OpenSIUC**

Honors Theses

University Honors Program

12-1-2000

Respiratory Therapists' Role in Special Procedures

Desi Dennis

Follow this and additional works at: http://opensiuc.lib.siu.edu/uhp theses

Recommended Citation

Dennis, Desi, "Respiratory Therapists' Role in Special Procedures" (2000). Honors Theses. Paper 95.

This Dissertation/Thesis is brought to you for free and open access by the University Honors Program at OpenSIUC. It has been accepted for inclusion in Honors Theses by an authorized administrator of OpenSIUC. For more information, please contact jnabe@lib.siu.edu.

DESI DENNIS

RESPIRATORY THERAPISTS' ROLE IN SPECIAL PROCEDURES

STAN PEARSON RESP 373b OCTOBER 7, 2000

STATEMENT

Respiratory care practitioners are responsible for a broad range of therapeutic and diagnostic procedures that undoubtedly relate to their profession. Yet, some special procedures have not been completely transitioned under the responsibility of respiratory care practitioners even though they are most qualified to handle such procedures. Among these are fiberoptic bronchoscopies and hemodynamic monitoring. Respiratory care practitioners should be actively involved in these two special procedures because of their clinical training and scope of knowledge.

TABLE OF CONTENTS

I.	Title page	page 1
II.	Statement	page 2
III.	Table of Contents.	page 3
IV.	Introduction	page 4
V.	Significance & Hypothesis	page 5
VI.	Statement of the Problem	page 6
VII.	Review of Literature	page 7-8
VIII.	Method of Study	page 9
IX.	List of Hospitals	page 10
X.	Query Letter	page 11
XI.	Survey	page 12
XII.	Numerical Survey Results	page 13
XIII.	Graphic Summary & Analysis	page 14
XIV.	Conclusion	page 15
XV.	References	page 16

INTRODUCTION

This project focuses on roles that respiratory care practitioners play during therapeutic and diagnostic bronchoscopy procedures and data interpretation of hemodynamic monitoring. Information relating to both special procedures will be reviewed along with reasons why respiratory care practitioners should be the healthcare professionals that are assisting.

The objective of these procedures is to provide the best diagnostic and/or therapeutic value to the patient as possible. Respiratory care practitioners are in excellent positions to assure accurate interpretation of results and assist with the procedures whenever necessary. Any other professionals involved in these procedures should be questioned to verify they are not performing out of their occupational scope of practice.

SIGNIFICANCE AND HYPOTHESIS

Fiberoptic bronchoscopy and hemodynamic monitoring fall within the respiratory care practitioner's scope of practice. Other professionals may be trained in certain aspects of both procedures, but respiratory care practitioners have an in-depth knowledge that equips them for optimal assistance and reliable data interpretation. Hypothesis: Even though respiratory care practitioners are best trained to assist and interpret information from fiberoptic bronchoscopies and hemodynamic monitoring, other healthcare professions are still assisting in these procedures.

STATEMENT OF THE PROBLEM

In many hospital settings, respiratory care practitioners are not assisting with bronchoscopies and do not interpret data gathered from hemodynamic monitoring. Since they do not assist, who is providing the necessary assistance when these special procedures are performed? Are there any guidelines in the respiratory care department concerning these two procedures? Such research questions have been probed and will be discussed later in this paper.

REVIEW OF LITERATURE

Fiberoptic bronchoscopy (FOB) now is the most commonly used invasive procedure in pulmonary medicine (Prakash 1999). Diagnostically, FOB has been used for lung tumors, infections, airway obstructions, hemoptysis investigation, and many other reasons. Therapeutically, it has been used for removal of foreign objects, clearance of mucus plugs responsible for lobar or segmental atelectasis, and the need for aid in performing difficult intubations (AARC Guidelines 1993). Many studies have proven the procedure safe and reliable. One such study concluded that FOB in the ICU is safe, contributes valuable diagnostic information, and is useful for therapeutic purposes (Turner, Willcox, Hayhurst, Potgieter, 1994).

Even though FOB has been proven a very safe procedure, any invasive maneuver has complications and risks involved. Adverse side effects from FOB include bronchospasm and laryngospasm, ventilation/perfusion abnormalities, hemorrhage, and pneumothorax (Toben & Kelly, 1981). Such complications suggest that the clinicians involved should be knowledgeable of the physiological causes of each emergency and thoroughly trained to respond with the appropriate solution.

Hemodynamic monitoring with a pulmonary catheter equips clinicians with valuable information of a patient's circulatory pressures. Such information can be vital in certain patients. Changing conditions in patients suffering from ARDS, hypovolemia, CHF, cor pulmonale, and pulmonary hypertension can be

monitored by pulmonary artery catheterization (Oaks, 1996). Iberti, Fischer, and Leibowitz conducted a study that examined the knowledge of clinicians that used pulmonary artery catheters (1990). They concluded that those studied had very little understanding about interpreting information from hemodynamic monitoring, which other studies later replicated. Brandstetter et al believed that incomplete user knowledge about certain limitations (i.e., ventilation with or without positive end-expiratory pressure, position of catheter in thorax, and presence or absence of chronic obstructive pulmonary disease) have been ignored by authors of previous studies when judging correct interpretation of data (1998). They also concluded that the usefulness of a pulmonary catheter would never be demonstrated unless the practitioner is knowledgeable and gives attention to the technical and physiological factors that influence interpretation of data.

METHOD OF STUDY

I obtained a list of hospitals approved from the Joint Commission on Accreditation of Healthcare Organizations (JCAHO) for the northern and central Illinois area. A list of all hospitals inspected by JCAHO and their accreditation status can be obtained from their website at www.qualitycheck.com. The hospitals had to meet the criteria of having at least 125 beds and an intensive care unit. The target population will be the department director of the hospital's respiratory care services since he or she should have a general knowledge of the capabilities and scope of practice of the respiratory therapists at that particular institution. A survey will be sent to 30 hospitals that were selected randomly. The survey is designed to gather information about the capabilities of respiratory therapists in gathering, analyzing, and implementing data obtained from fiberoptic bronchoscopies and hemodynamic monitoring. A list of the hospitals participating in the survey, query letter, and the actual survey follows.

List of Hospitals

Abraham Lincoln Memorial Hospital Lincoln, IL

Carle Foundation Hospital Urbana, IL

Condell Medical Center Liberrtyville, IL

Decatur Memorial Hospital Decatur, IL

Edward Hines Jr. VA Hospital Hines, IL

Good Samaritan Hospital Downers Grove, IL

Kewanee Hospital Kewanee, IL

Kishwaukee Community Hospital DeKalb, IL

Mason District Hospital Havana, IL

McDonough District Hospital Macomb, IL

The Methodist Medical Center of Illinois Peoria, IL

Methodist Hospital of Chicago Chicago, IL

Midwestern Regional Medical Center Zion, IL

Northwest Community Hospital Arlington Heights, IL

Oak Park Hospital Oak Park, IL

OSF Saint Francis Medical Center Peoria, IL

OSF St. Joseph Medic al Center Bloomington, IL

Proctor Hospital Peoria, IL

Provena Saint Joseph Hospital Elgin, IL

Provena Saint Therese Medical Center Waukegan, IL

Provena United Samaritans Medical Center Danville, IL

Ravenswood Hospital Medical Center Chicago, IL

Resurrection Medical Center Chicago, IL

Richland Memorial Hospital Olney, IL

Rockford Medical Hospital Rockford, IL

South Suburban Hospital - Advocate Hazel Crest, IL

St. Francis Hospital of Evanston Evanston, IL

St. Francis Hospital and Health Center Blue Island, IL

St. John's Hospital Springfield, IL

St. Mary's Hospital Decatur, IL

Dear Respiratory Department Director,

My name is Desi Dennis and I am a respiratory therapy student at Southern Illinois University. I am researching the roles of respiratory therapists in special procedures pertaining to fiberoptic bronchoscopy and hemodynamic monitoring. I would appreciate it if you will take a brief moment and fill out the survey to the best of your knowledge. All names of individuals and hospitals will be withheld for confidentiality. Your response will greatly assist the results of my research and my overall grade! Once you have completed the survey, please return it in the envelope provided. If you have any questions, I can be reached at (217) 442-7069. Thanks for your cooperation.

Sincerely,

Desi Dennis

SURVEY

	Size of your institution beds
1.	Have you been formally (school) or clinically trained on fiberoptic bronchoscopy procedures?
	yes (formally),yes (clinically),no
2.	Does your institution perform fiberoptic bronchoscopies?
	yes,no
3.	Are respiratory therapists assisting the bronchoscopist before, during, or after the procedure?
	yes (before),yes (during),yes (after),no (then who does?)
4.	Can the respiratory therapists at your institution perform the actual bronchoscopy procedure in case of emergency if a pulmonologist is absent?
	yes,no
5.	Are the respiratory therapists capable of analyzing and interpreting information gathered from a bronchoscopy procedure?
	yes,no
6.	What is the main purpose for using fiberoptic bronchoscopy at your institution?
7.	Are all of the respiratory therapists proficient in correctly analyzing data from hemodynamic monitoring?
	yes,no
8.	Do any respiratory therapists actually perform the procedure (catheter insertion)?
	yes,no
9.	Are there any guidelines concerning hemodynamic monitoring in your department?
	yes,no if yes, specify:
10.	Are there any guidelines or protocols regarding fiberoptic bronchoscopy procedures?
	yes,no if yes, specify:
CC)MMENTS:
	AVIIVICAN LA

THANK YOU

NUMERICAL SURVEY RESULTS

1. TRAINED ON FIBEROPTIC BRONCHOSCOPY PROCEDURES (n = 23)

YES (formally) 17% YES (clinically) 26% NO 57%

2. INSTITUTIONS THAT PERFORMED FIGBEROPTIC BRONCHOSCOPIES (n = 23)

100% NO 0%

3. DO RESPIRATORY THERAPISTS ASSIST BRONCHOSCOPIES? (n = 23)

YES (before) 9% YES (during) 13% YES (after) 4% YES (throughout) 26% NO 48%

4. CAN RESPIRATORY THERAPISTS PERFORM ACTUAL BRONCHOSCOPY? (n = 23)

YES 0% NO 100%

5. CAN RCPs INTERPRET AND ANALYZE DATA FROM BRONCHOSCOPY? (n = 22)

YES 14% NO 86%

6. MAIN PURPOSE FOR FIBEROPTIC BRONCHOSCOPY AT HOSPITAL (n = 15)

BIOPIES 60% DIAGNOSTIC 33% **VARIOUS** 07%

7. CAN RCPs ANALYZE DATA FROM HEMODYNAMIC MONITORING? (n = 23)

YES 22% NO 78%

8. DO ANY RCPs PERFORM CATHETER INSERTION? (n = 23)

YES 0% NO 100%

9. ARE THERE ANY DEPARTMENTAL GUIDELINES CONCERNING HEMODYNAMIC MONITORING? (n = 23)


YES 22%

NO 78%

10. ARE THERE ANY DEPARTMENTAL GUIDELINES CONCERING FIBEROPTIC BRONCHOSCOPY PROCEDURES? (n = 22)

YES 23% NO 77%

Graphic Summary (%)



■ YES ■ NO

ANALYSIS OF SURVEY RESULTS

The results distinctly support my hypothesis that other healthcare professions outside of respiratory therapy are assisting and interpreting information from fiberoptic bronchoscopies and hemodynamic monitoring. Out of the 11 surveys indicating that respiratory therapists do not assist the bronchoscopy procedure, five indicated that the surgery staff assisted and the other six indicated that nurses assisted the procedure.

CONCLUSION

Knowledge and training of the healthcare professional justifies the duties within their scope of practice. Respiratory therapists are clearly the best-qualified individuals to assist bronchoscopies due to the nature of the procedure, yet the results show that barely over 50% of the hospitals surveyed actually had their respiratory therapists assist the procedure at some point. Only 22% of the survey responses stated that respiratory therapists at their institution were proficient at analyzing data from hemodynamic monitoring. This suggests that respiratory therapists rarely have any exposure to hemodynamic monitoring even though it encompasses cardiopulmonary performance. The low percentage of respiratory therapy departments with guidelines on bronchoscopies and hemodynamic monitoring also expresses the concern for more aggressive maneuvers to recruit these special procedures under their area of care.

Hospitals large enough to employ a variety of healthcare professionals should be more attentive about the capabilities in each occupation's scope of practice. Respiratory care department managers should be educating their superiors about the therapeutic and diagnostic procedures that relate to the respiratory therapy profession and fall within their range of knowledge. A follow up survey should be performed to reveal if any department managers made any attempts or progress to secure these procedures. It has been shown that other professions outside of respiratory therapy can assist certain procedures, now it's time to prove that respiratory therapists are best for the job.

REFERENCES

- American Association for Respiratory Care Clinical Practice Guidelines (1993). Fiberoptic Bronchoscopy Assisting. Respiratory Care, 38 (11), 1169-1200.
- Brandstetter, R.D. & Grant, G.R. & Estilo, M. & Rahim, F. & Singh, K. & Gitler, B. (1998). Swan-Ganz catheter: Misconceptions, pitfalls, and imcomplete user knowledge- an identified trilogy in need of correction. <u>Heart & Lung, 27, 218-222</u>.
- Iberti, T.J. & Fischer E.P. & Leibowitz A.B. (1990). A multicenter study of physician's knowledge of the pulmonary artery catheter. <u>Journal of the American Medical Association</u>, 264, 2928-2932.
- Oakes, D.F. (1996). Clinical practitioners pocket guide to respiratory care. Old Town: Health Educator Publications.
- Prakash, U.B. (1999). Advances in bronchoscopic procedures. Chest, 116, 1403-8.
- Toben, B.P. & Kelly J.J. (1981). Flexible fiberoptic bronchoscopy: guide for the respiratory therapist. Respiratory Therapy, 73-79.
- Turner, J.S. & Willcox, P.A. & Hayhurst, M.D. & Potgieter, P.D. (1994). Fiberoptic bronchoscopy in the intensive care unit: a prospective study of 147 procedures in 107 patients. Critical care medicine, 22, 259-264.