

11-20-2023

## Cognitive Function Among Military Veterans with STEM Occupations.

Justin T McDaniel

*Southern Illinois University School of Medicine*

Kevin N Hascup

*Southern Illinois University School of Medicine*

Erin R Hascup

*Southern Illinois University School of Medicine*

Ugochukwu G Ezigbo

*Southern Illinois University School of Medicine*

Amanda M Weidhuner

*Southern Illinois University School of Medicine*

*See next page for additional authors*

Follow this and additional works at: [https://opensiuc.lib.siu.edu/neurology\\_articles](https://opensiuc.lib.siu.edu/neurology_articles)

---

### Recommended Citation

McDaniel, Justin T, Hascup, Kevin N, Hascup, Erin R, Ezigbo, Ugochukwu G, Weidhuner, Amanda M, Henson, Harvey and Albright, David L. "Cognitive Function Among Military Veterans with STEM Occupations.." *Mil Med Res* 10, No. 1 (Nov 2023): 55. doi:10.1186/s40779-023-00491-7.

This Article is brought to you for free and open access by the Neurology at OpenSIUC. It has been accepted for inclusion in Articles by an authorized administrator of OpenSIUC. For more information, please contact [opensiuc@lib.siu.edu](mailto:opensiuc@lib.siu.edu).

---

**Authors**


Justin T McDaniel, Kevin N Hascup, Erin R Hascup, Ugochukwu G Ezigbo, Amanda M Weidhuner, Harvey Henson, and David L Albright

LETTER TO THE EDITOR

Open Access



# Cognitive function among military veterans with STEM occupations

Justin T. McDaniel<sup>1\*</sup> , Kevin N. Hascup<sup>1</sup>, Erin R. Hascup<sup>1</sup>, Ugochukwu G. Ezigbo<sup>2</sup>, Amanda M. Weidhuner<sup>2</sup>, Harvey Henson<sup>2</sup> and David L. Albright<sup>3</sup>

**Keywords** Alzheimer's disease, Veterans, Science, technology, engineering, and mathematics (STEM), Animal fluency test, Dementia

Dear Editor,

There is limited research on the relationship between science, technology, engineering, and mathematics (STEM) occupational history and cognitive function in later life, especially among military veterans, who may be at greater risk for later-life cognitive decline. This study examines a nationally representative sample of military veterans to address this gap in knowledge.

We obtained data for this cross-sectional study from the 2011–2014 waves of the National Health and Nutrition Examination Survey [1] on veterans ( $n=464$ ) and civilians ( $n=2093$ ). Cognitive function was assessed using three tests: the immediate and delayed memory word recall test [2], the animal fluency test [3], and the digit symbol substitution test [4]. We calculated an index of word loss from the immediate to delayed 10-item word recall test (immediate score – delayed score), such that higher scores on the index indicated worse cognitive

function. In the other two tests, higher scores were indicative of better cognitive performance.

The primary independent variable is STEM occupational history, operationalized through the question: “Thinking of all the paid jobs or businesses you ever had, what kind of work were you doing the longest?” We grouped occupations into two categories: STEM or non-STEM. We also include healthcare practitioners—but not medical support staff—in the STEM category. We controlled for age, sex, race, educational attainment, diabetes status, healthy diet, minutes of sedentary behaviour—except for sleeping—on a typical day, depression, traumatic brain injury, illicit drug use, and benzodiazepine use. We estimated multivariable linear regression models in which the three cognitive test scores were regressed on STEM involvement, veteran status, all covariates, and an interaction term for STEM occupation and veteran status using the following formula:

\*Correspondence:

Justin T. McDaniel  
jtmcd@siu.edu

<sup>1</sup> Dale and Deborah Smith Center for Alzheimer's Research and trEatment (CARE), Southern Illinois University School of Medicine, Springfield, IL 62794, USA

<sup>2</sup> STEM Education Research Center, Southern Illinois University, Carbondale, IL 62901, USA

<sup>3</sup> Department of Political Science, The University of Alabama, Tuscaloosa, AL 35487, USA



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.


$$\begin{aligned}
 \text{Cognitive Function} = & a + b(\text{age}) + b(\text{race}) + b(\text{sex}) + b(\text{HS diploma}) \\
 & + b(\text{some college}) + b(\text{bachelor's degree or more}) \\
 & + b(\text{diabetes}) + b(\text{healthy diet}) + b(\text{sedentary minutes}) \\
 & + b(\text{TBI}) + b(\text{depression}) + b(\text{illicit drug use}) + b(\text{benzodiazepine use}) \\
 & + b(\text{STEM}) + b(\text{veteran}) + b(\text{STEM} \times \text{veteran}) + e
 \end{aligned}$$

Participants (median age=62.6) were primarily female (53.2%) and non-white (61.9%). Regarding the health status of the sample, results showed that 41.6% of the sample had diabetes, 16.8% had a traumatic brain injury, 19.1% had depression symptoms, 1.0% used benzodiazepines, and 16.7% had used illicit drugs. Full details about the study participants are presented in Additional file 1: Table S1. STEM occupational involvement was similar among veterans (6.5%) and civilians (7.6%). Veterans, when compared to civilians, scored higher on the animal fluency test (18.4 vs. 17.1) and digit symbol test (49.6 vs. 48.3), but exhibited greater forgetfulness on the word recall test (1.9 vs. 1.3).

Our multivariable linear regression models (Additional file 1: Table S2) revealed that the interaction term for STEM involvement and veteran status was associated with cognitive function as measured by the animal fluency test ( $b = 2.14, P = 0.03$ ), but not the word recall test ( $b = -0.11, P = 0.69$ ) nor the digit symbol test ( $b = -3.71, P = 0.12$ ). For those with STEM involvement, mean score differences between veterans ( $M = 21.35$ ) and civilians ( $M = 19.56$ ) on the animal fluency test were also clinically meaningful (*Cohen's d* = 0.76). In all models, the model

predicted means on each test by veteran status and STEM involvement are shown in Fig. 1. Since there were only 3 identified female veterans, we also estimated a model delimited to the male veteran sub-group—results of which are presented in Additional file 1: Table S3. This delimited model showed that STEM involvement in male veterans was associated with cognitive function, as measured by the animal fluency test and the word recall test.

We used nationally representative data to examine the association between STEM occupational history and cognitive function among civilians and veterans. Because limited research exists in this area, particularly for veterans, this study provides basic preliminary evidence about said relationship. Although our study was limited by the cross-sectional study design (i.e., we could not make causal inferences about cognitive decline), results suggest that cognitive function may be better in veterans who have had a STEM occupation than those who have not. Future studies should explore veteran cognitive function by rurality, as previous reports have shown that rural-dwelling veterans are less likely to be involved in a STEM career [5].



**Fig. 1** The predicted mean scores from the model in Additional file 1: Table S2. **a** Word recall test (i.e., forgetfulness from time 1 to time 2). **b** Animal fluency test. **c** Digit symbol test based on STEM occupational history and veteran status. Standard error bars are included. \* $P < 0.05$  for the STEM occupational history and veteran status interaction term. Data were retrieved from NHANES waves between 2011 and 2014. ns non-significance

**Abbreviation**

STEM Science, technology, engineering, and mathematics

Armed Forces Soc. 2023. <https://doi.org/10.1177/0095327X231152265:0095327X231152265>.

**Supplementary Information**

The online version contains supplementary material available at <https://doi.org/10.1186/s40779-023-00491-7>.

**Additional file 1: Table S1** Univariate descriptive statistics for all variables in the study stratified by military service status. **Table S2** Multiple linear regression results for the relationship between STEM occupational history, veteran status, and cognitive function test scores ( $n = 2557$ ) [b (SE)]. **Table S3** Multiple linear regression results for the relationship between STEM occupational history and cognitive function test scores in military veterans who reported male sex ( $n = 461$ ) [b (SE)].

**Acknowledgements**

Not applicable.

**Author contributions**

JTM conceptualized the manuscript and analysed the data with UGE. KNH and ERH wrote the sections about the neuroscience behind cognitive decline. AMW, HH, and DLA wrote the sections about the veteran population and their context, as well as the implications for practice section. All authors read and approved the final manuscript.

**Funding**

This work was supported by the National Institutes of Health (NIA R01AG057767 and NIA R01AG061937), Dale and Deborah Smith Center for Alzheimer's Research and Treatment, Kenneth Stark Endowment.

**Availability of data and materials**

Data are available on the NHANES website (<https://www.cdc.gov/nchs/nhanes/index.htm>).

**Declarations****Ethics approval and consent to participate**

Not applicable.

**Consent for publication**

Not applicable.

**Competing interests**

The authors declare that they have no competing interests.

Received: 19 June 2023 Accepted: 7 November 2023

Published online: 20 November 2023

**References**

1. United States Centers for Disease Control and Prevention. National health and nutrition examination survey. 2012. <https://www.cdc.gov/nchs/nhanes/index.htm>. Accessed 24 Aug 2022.
2. Fillenbaum GG, Mohs R. CERAD (Consortium to establish a registry for Alzheimer's disease) neuropsychology assessment battery: 35 years and counting. *J Alzheimers Dis.* 2023;93(1):1–27.
3. McDonnell M, Dill L, Panos S, Amano S, Brown W, Giurgius S, et al. Verbal fluency as a screening tool for mild cognitive impairment. *Int Psychogeriatr.* 2020;32(9):1055–62.
4. Amieva H, Meillon C, Proust-Lima C, Dartigues JF. Is low psychomotor speed a marker of brain vulnerability in late life? Digit symbol substitution test in the prediction of Alzheimer, Parkinson, stroke, disability, and depression. *Dement Geriatr Cogn Disord.* 2019;47(4–6):297–305.
5. McDaniel JT, Henson H, DeRuntz B, Brown D, Hunter-Johnson Y, Albright D. Rural military veterans of color and STEM occupational outcomes.

**Ready to submit your research? Choose BMC and benefit from:**

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

**At BMC, research is always in progress.**

Learn more [biomedcentral.com/submissions](https://biomedcentral.com/submissions)

